



A PROUD & PROGRESSIVE
VILLAGE FOR ALL PEOPLE

VILLAGE NEWS

July/August 2021

Glendale Heights, Illinois

Village President Chodri Ma Khokhar

National Night Out

Tuesday, August 3 • 6:00 pm to 8:00 pm
Civic Center Campus • 300 Civic Center Plaza

National Night Out Against Crime is celebrated annually on the first Tuesday in August by Law Enforcement Agencies across the United States. The Glendale Heights Police Department invites you and your family to join them and show your support for crime and drug prevention in Glendale Heights.

For more information, contact Community Outreach Specialist Tanya Macko at 630.909.5459, or the Police non-emergency number at 630.260.6070.

Featuring...

- Police dunk tank
- Games
- Face painting
- A visit from McGruff
- Emergency apparatus demos by Glenside and Bloomingdale Fire Protection Districts
- Free hot dogs and burgers
- And more!



BLOOD DRIVE

Village Hall - Police Training Room
Tuesday, August 3
3:00 pm - 7:00 pm

GIVE BLOOD
You can make a difference.



Camera Park Gazebo
(Across from Glendale Lakes Golf Club)

6:30 pm - 9:00 pm

Music from Double D Cruisin' Music

Join us for an evening filled with music and summertime vibes at the Camera Park Gazebo (near library). Each week will feature a different music genre and some weeks will even include games and activities at an additional cost! See the schedule below and plan your next date or family night out today! Participants may bring lawn chairs, snacks and refreshments, outside alcohol is not permitted. For more information, please visit www.ghprf.com or contact the Sports Hub at 630.260.6060.

July 1 - American Country (Bags Tournament - \$20 per team)

July 8 - California Dreamin' (Bingo, \$2 per card)

July 22 - The British Invasion

July 29 - Fiesta Latino (Loteria, \$2 per card)

GLENDAL HEIGHTS FEST 2021 Canceled



Please visit
www.glendaleheightsfest.com
and see page 2 for a statement
from Village President
Chodri Ma Khokhar.

Inside:

Center for Senior Citizens Page 5
GH₂O Aquatic Center..... Page 10
Glendale Lakes Golf Club..... Page 6

New Businesses.....Page 16
Parks, Recreation & Facilities.. Page 4
Police Department..... Page 8-9

Public Works Department Page 7
Water Quality Report.....Page 17
Water Rate Increase Page 12



Letter from the Village President

300 Civic Center Plaza • Glendale Heights, IL 60139
630.909.5303 • chodri_khokhar@glendaleheights.org



Dear Residents of Glendale Heights,

As I sit here writing my first official letter to the residents of Glendale Heights as Village President, I am humbled by the support of the community. I want to thank you for instilling your trust in me to serve you as the 14th Village President of Glendale Heights. The Village has an incredible history of great leadership and growth since its inception in 1959, and I want to continue to grow those traditions during my time as Village President. I have been a resident of Glendale Heights for the past 21 years, and my beautiful wife and I have raised our three incredible children in this community. Glendale Heights is an extremely diverse community full of people from all different walks of life. Everyone brings something unique to Glendale Heights, and I hope to highlight this in our community. After all, the Village's motto is "A Proud and Progressive Village for All People." We must remember that we are truly a Village for all people and must accept one another for who we are.

I would like to first address Glendale Heights Fest and the difficult decision the entire Village Board made to cancel the event. Glendale Heights Fest has been a long-time tradition for our community, and I am fully aware of the important impact it has on our residents. It personally pains me to have to make this decision as a long-time supporter and attendee of this event. The COVID-19 pandemic has left a long-lasting impact on our society, and Glendale Heights is one of those communities that it has greatly affected. Glendale Heights Fest takes time, planning and logistics to organize an event that draws in over 50,000 people over five days, while keeping our fest-goers, volunteers and staff safe. The COVID-19 pandemic has not only taken its toll on our health, but also our planning of large-scale events as this has been a constant waiting game from the State of Illinois with unclear guidance as it comes to Phase 5. Because so many other communities have made the difficult decision to cancel their events ahead of time, there is a safety concern of an influx of people at Glendale Heights Fest in addition to the current rise of nation-wide violence to our fellow humankind. Our resources to safely plan an event of this magnitude due to the COVID-19 pandemic are just not available like in typical years. I made a promise when I officially became Village President to fully support our public safety officials, and the increase in violence across the country is a major concern for Glendale Heights Fest. The COVID-19 pandemic has taken its toll on humanity and now we are seeing the aftermath. Believe me when I say this, this was not an easy decision, and I hope you understand this is a decision that none of us wanted to take lightly. We had the safety of all parties involved in our minds when we had to deliver this difficult news. I want to assure you we will do everything possible to return to some form of normalcy sooner than later including Glendale Heights Fest as we know it.

As we look towards the remainder of the summer, I want to remain positive and shine a spotlight on a few Village activities that are occurring. The GH2O Aquatic Center is open for the season, and we are once again hosting our PATH Summer Camp. We also hope you will be able to attend National Night Out in August where we have the timing and guidance to properly and safely execute this community event. Lastly, I am thrilled to see the Center for Senior Citizens beginning to introduce programming to our senior community knowing that over 93% of seniors in DuPage County are now vaccinated!

Thank you all again for being a part of this community, and I encourage you to get involved. Learn from each other, talk to your neighbors and grow as community. My door is always open, and just like my fellow Village Board Members, we are just a phone call away. I will also be continuing the long-time tradition of Coffee and Chat with the Mayor and Village Board on the first Saturday of each month. I look forward to seeing all of your smiling faces soon!

Sincerely,

Chodri Ma Khokhar


Village President

Glendale Heights Village News

300 Civic Center Plaza • Glendale Heights, IL 60139
630.260.6000 • www.glendaleheights.org



Congratulations 2021 Elected Village Officials



Chodri Ma Khokhar
Village President



Marie Schmidt
Village Clerk



Mohammad Siddiqi
Trustee District 2



Chester Pojack
Trustee District 5



Mary Schroeder
Trustee District 6

Coffee and Chat with the Mayor & Board



Coffee and Chat with the Mayor & Board is held on the first Saturday of each month* from 10:00 am to noon at the Center for Senior Citizens. **The next Coffee with the Mayor & Board is scheduled for August 7. There is no Coffee in July.** If you are unable to attend and have a comment, suggestion or question, please call the Mayor's Office at 630.909.5303.

*Subject to Change



Parks, Recreation & Facilities Department

250 Civic Center Plaza • Glendale Heights, IL 60139

630.260.6060 • www.ghprf.com

PATH Summer Camp *All Star Edition!*

PATH Summer Camp gives children a safe and fun environment with activities tailored to their specific ages. This year's theme – "All-Stars" will allow our campers to explore a variety of sports related activities, projects and more! PATH Summer camp features weekly registration. Please note that each week's registration deadline is the previous Friday. Registrations after this day will be charged a \$10 late fee. Listed grades pertain to the student grade level entered as of September 2021.

Camp Rookie:
Ages 4-5 Entering Kindergarten

Camp MVP:
Entering Grades 1-2

Camp Champs:
Entering Grades 3-4



Camp All Stars:
Entering Grades 5-6

Camp Legends:
Entering Grades 7-9



PATH Before & After School Program
Register by August 6

Fall Outdoor Soccer
Register by August 8

Tot & Youth Sports all summer long!



Back 2 School Bash
Tuesday, August 3
6:00 pm - 8:00 pm
Sports Hub

**MEET PRESCHOOL TEACHERS,
EXPLORE CLASSROOMS,
DISCOUNTS ON REGISTRATIONS,
DOOR PRIZES AND MORE!**

A New Camera Park 2021!

Visit www.ghprf.com/Camera for updates!



Glendale Heights Center for Senior Citizens

260 Civic Center Plaza • Glendale Heights, IL 60139

630.260.6050 • www.glendaleheights.org/Seniors



Promoting "Fuller, Stronger, Longer Lives"

Senior Fitness Programs

An active membership at the Center for Senior Citizens gives you the option to participate in two different fitness programs

Walk a Mile in the Morning

Every Tuesday • 8:30 am - 9:15 am and 9:30 am 10:15 am

Join us inside the Center for Senior Citizens Community Room for a great workout at your own speed and with great music!

Forever Fit (Ages 60 & up)

Mondays & Wednesdays • 10:00 am - 11:00 am

Join us at the Sports Hub for an hour workout with our certified fitness instructor. Must wear gym shoes and comfortable clothes.

Register at the Center for Senior Citizens.



REPUBLIC SERVICES REFUSE COLLECTION SENIOR DISCOUNT

If you are 65 years old or better and the property owner with the Republic Services bill in your name, you are eligible for a 35% monthly discount for your Refuse Collection Services. You may also request a smaller garbage tote.

To obtain your discount, please send a letter with your name, address, Republic Services account number and proof of your age including a copy of your most recent property tax bill to: Republic Services Customer Services, 5050 W. Lake Street, Melrose Park, IL 60160 or fax to: 708.498.5383. Please call Republic Services at 847.981.0091 with any questions or staff at the Center for Senior Citizens can also assist you!

Community Room Rental

Are you looking for a party room to rent for your next gathering? Look no further than the Center's Community Room. From kid's parties to weddings, you can book the room for any event. Seating up to 130 guests! Our friendly staff will work with you to make your party a success. Call 630.260.6050 for more information.



Senior Coffee and Conversation

**1st & 3rd Thursday of each month,
9:00 am - 11:00 am**

Center for Senior Citizens Patio

Join us for a warm cup of coffee! It's a wonderful opportunity to catch up and meet for some good conversation.

Registration is required!

Limited availability; first come first served

Cost: Free





Glendale Lakes Golf Club

1550 President Street • Glendale Heights, IL 60139
630.260.0018 • Banquets: 630.260.0095 • www.glendalelakes.com
Owned and operated by the Village of Glendale Heights

2021 Golf Season


Book your tee times online and pay no booking fees! Be sure to like us on Facebook to stay current with rates and specials at www.facebook.com/GlendaleLakesGolfClub.

Charity Golf Classic

at Glendale Lakes Golf Club • Date to be announced soon!

Benefitting...

- Make-A-Wish® Illinois
- FOP Lodge #52 Community Enrichment Fund
- Glendale Heights Chamber of Commerce Scholarship Fund



To get involved or for more information, call 630.260.0018 or visit glendalelakes.com.

2022 Wedding Bookings



2022 is already starting to book up for weddings! Meet with our professional banquet coordinators and let us help you have the perfect event! Reserve your date by calling 630.260.0095

Private Golf Lessons

2021 Private Golf Lessons are available for groups up to 4 golfers. Learn the rules of the game, etiquette, putting, chipping, and the full swing. Private lessons offer the opportunity for one-on-one focused learning. To schedule your lesson, please call 630.260.0018 and ask for Steve!



Know When to Replace Your Grips

Grips on your golf clubs should be replaced every 40 rounds or every 30 rounds if you're spending a considerable amount of time at the practice range!

Regardless of rounds played, a grip should always be replaced at the first sign of noticeable wear, including:

- Smooth, hard surfaces
- Cracks
- Shiny patches
- Wear spots, especially where the thumbs make contact
- Faded or bare spots on grips that have been painted or have logos
- Complete loss of tack
- if the stock grips on your clubs aren't the right size



For more tips and future golf lessons, contact our pro shop at 630.260.0018!

Public Works Department

1615 Glen Ellyn Road • Glendale Heights, IL 60139
630.260.6040 • www.glendaleheights.org/PW



Water Conservation

Residents, property owners, renters, or property managers are reminded that on May 1st, the Village of Glendale Heights began its Outdoor Water Usage Schedule for water conservation. Persons or entities owning or controlling property in the Village may use water for outdoor water sprinkling and/or other large consumption purposes on designated days and times. Unless otherwise provided, the following outdoor water usage schedule shall apply:

- Outdoor water use is permitted between 6:00 am - 10:00 am & between the hours of 6:00 pm - 10:00 pm.
- Odd number street addresses are permitted to water on odd days of the month.
- Even number street addresses are permitted to water on even days of the month.

Sump Pump Issues?

Here are two simple tips from the Engineering Division if your sump pump runs too often!

1. The ground should slope away from your house's foundation. This will let rainwater runoff into the yard, and less rainwater will absorb into the ground along your foundation, where it will travel to your sump pit to be pumped out.
2. Roof gutter extensions can be added to house downspouts to take the rainwater collected in roof gutters and release that water further away from the foundation. A roof is a big water collector, and that water should be sent far away from the house's foundation to help reduce sump pump use.

Street Division

Motorists traveling Glendale Heights' roads are asked to recognize the importance of slowing down in work zones. Motorists should drive with focus as they approach, enter, and travel through work zones, for their own safety and that of their passengers, other drivers, pedestrians, construction workers, utility workers, and public safety professionals.



Distracted driving contributes to 25% of all police reported traffic crashes according to the National Highway Traffic Safety Administration (NHTSA). Be patient as most of the time work zones require lane closures. Remain alert in case you need to slow down or stop due to traffic or construction work.



CHANGE YOUR FILTERS

AC units run more efficiently if you switch out your filters.

SET YOUR AC TO 78 DEGREES

Every degree increase saves you about 5% in energy costs.

ENERGY SAVING TIPS ON HOT DAYS!

USE FANS IN OCCUPIED ROOMS

They circulate air and supplement the air conditioning.

CLOSE THE BLINDS

Shutting drapes and curtains keeps out the sun and the heat.

Summer Tire Tips

Checking your tires is crucial in the summer. Long road trips with heavy loads and high temperatures can stress your tires to the max. Make sure that you have the correct amount of tire pressure in your tires at all times.



Also, don't forget to check the spare. Over time, the spare loses air and won't be much use if flat.



Glendale Heights Police Department

300 Civic Center Plaza • Glendale Heights, IL 60139
Emergency Help: 911 • Non-Emergency: 630.260.6070
www.glendaleheights.org/police

MOVIE NIGHT with a Cop

FREE EVENT

Friday, July 23 - Tom and Jerry (2021)

Friday, August 13 - Trolls World Tour

Movie Starts at Dusk (Approximately 8:30 pm)

Safety Town (301 Civic Center Plaza)

Popcorn and refreshments provided by the Kiwanis Club of Glendale Heights will be served along with a Q&A with Glendale Heights' finest!

For more information, please contact the Glendale Heights Police Departments Community Outreach Specialist, Tanya Macko at 630.909.5459 or tanya_macko@glendaleheights.org.

Movies will be watched outside at Safety Town weather permitting, or inside of Safety Town if there is inclement weather.

Movie licensing sponsored by Glenside Public Library District

Glendale Heights Cooling Shelters

As you know, the summer months can bring extremely hot temperatures and dangerously high humidity to the area. Small children, senior citizens, and persons suffering illness or disability are especially vulnerable to extreme heat and humidity. The Glendale Heights Police Department is asking residents to please check on their relatives, friends, and neighbors to ensure their well-being and safety.

Glendale Heights will activate a temporary cooling shelter to assist our community when weather conditions present such a need. For additional information about cooling shelters, please call the Police Department's non-emergency number at 630.260.6070 and as a reminder, in ANY emergency you are encouraged to call 9-1-1 for immediate assistance. Have a safe, enjoyable and cool summer!



Fireworks are often used to mark special events and holidays. However, they are not safe in the hands of consumers. The Bloomingdale and Glenside Fire Protection Districts and the National Fire Protection Association (NFPA) are opposed to consumer use of fireworks, and the **use of fireworks is illegal in Illinois!** Fireworks cause thousands of burns and eye injuries each year. Even sparklers burn hot enough to cause third-degree burns. People can enjoy the holidays if they remember the following:

- Fireworks cause an average of almost 20,000 reported fires per year
- In 2013, sparklers caused 41% of fireworks injuries
- Be safe. If you want to see fireworks, go to a public show put on by experts.
- Do not use consumer fireworks
- Keep a close eye on children at events where fireworks are used

For more information about fireworks safety or other safety information, visit our websites at www.glensidefire.org or www.bloomingdalefire.com.



get to KNOW US

Detective Nathan Szewczyk #379

I grew up in Lombard, and graduated from Glenbard East High School.

I went on to graduate in 2008 with a B.S. degree from Western Illinois University. I double majored in Law Enforcement Administration and Theater Design, with a minor in Food Science. I also earned a Master's Degree in Theater Design from the University of Central Florida.

I became an officer at the Glendale Heights Police Department in 2014 and became a Detective in 2018.

I have been a member of the Major Crimes Task Force since 2018, the Metro Swat Crisis Negotiations Team since 2020, and a bicycle officer for GHPD.

I really enjoy the community centered approach to policing that the Glendale Heights Police Department embraces.



HEAT STROKE PREVENTION

- Never leave children or pets alone in or around cars; not even for a minute.
- "Look Before You Lock" - Get in the habit of always opening the back door to check the back seat before leaving your vehicle. Make sure no child has been left behind.
- Create a reminder to check the back seat. Put something you will need like your cell phone, handbag, employee ID or brief case, etc., in the back seat so that you have to open the back door to retrieve that item every time you park.
- Keep a large stuffed animal in the child's car seat. When the child is placed in the car seat, put the stuffed animal in the front passenger seat. It's a visual reminder that the child is in the back seat.
- Make sure you have a strict policy in place with your childcare provider about daycare drop-off. Everyone involved in the care of your child should always be aware of their whereabouts. If your child will not be attending daycare as scheduled, it is the parent's responsibility to call and inform the childcare provider. If your child does not show up as scheduled, and they have not received a call from the parent, the childcare provider pledges to contact you immediately to ensure the safety of your child. (This is very similar to the 'absence-line' used by most elementary, middle and high schools.)
- Keep vehicles locked at all times, even in driveways or garages. Ask home visitors, child care providers and neighbors to do the same.
- Keep car keys and remote openers out of reach of children.
- If a child goes missing, immediately check the inside passenger compartments and trunks of all vehicles in the area very carefully, even if they are locked. A child may lock the car doors after entering a vehicle on their own, but may not be able to unlock them.
- If you see a child alone in a vehicle, get involved. Call 911 immediately. If the child seems hot or sick, get them out of the vehicle as quickly as possible.

Please share these important safety tips with your childcare providers, teachers, relatives, friends, family and neighbors... It could save a life!



Glendale Heights Aquatic Center

240 Civic Center Plaza • Glendale Heights, IL 60139
630.260.6060 • www.ghprf.org



GH₂O Aquatic Center

**Now Open
for the Season!**

**Visit
www.ghprf.com
for more
information!**



Please note: At the time of this publication, all information, dates, times and other important details were scheduled as planned. Due to COVID-19, information may have changed. Please visit www.glendaleheights.org for the most up to date information or please call us at 630.260.6000.

Glendale Heights Green Team

300 Civic Center Plaza • Glendale Heights, IL 60139
630.260.6000 • www.glendaleheights.org/Eco



Paint Reuse & Recycling Tips

Tips to better manage use of latex paint!

When painting a room, buy what you need and not just what is on sale. Save leftover paint in a glass jar with minimal air space for touch ups. Label the jar for which room the paint was used or keep in the room itself. Do not store paint in the garage - once frozen it is not reusable.

How to Dispose of Unusable Latex Paint

Latex paint is not a hazardous material and therefore it may be discarded in the trash when properly prepared per hauler requirements. Republic Services will collect unusable latex paint during residential curbside collections only when the paint is hardened* and dry and when the can(s) are placed next to the totes with the top(s) off. The truck driver will confirm that the paint is dry/hardened and place it in the cart for disposal. For further questions, residents may contact Republic Services at 847.981.0091.

*To dry paint, mix sand, dirt, kitty litter or oil dry to soak up the paint until the substance has turned into a dry paste and has hardened. For more information on how to handle unwanted paint, you may visit DuPage County's Recycling website at https://dupageco.org/EDP/Waste_Recycling_and_Energy/31416/ or call 630.407.6702.

Let's get back to
the basics of recycling.

Remember these three rules
each time you recycle:



1 Recycle all empty bottles, cans, paper and cardboard.



2 Keep food and liquids out of the recycling.



3 Empty recyclables directly into your cart - NO bagged recyclables.

Curbside Electronics Recycling Program

Residents are now safely and securely able to recycle electronics curbside on the 2nd regularly scheduled collection day of the month for no additional charge! Republic Services utilizes BlueGuard™ safety practices, which adhere to U.S. Department of Defense standards, to ensure that obsolete electronics are recycled safely, completely and responsibly.

Acceptable items include: Cable Receivers • Computers (desktop, laptop, netbook, notebook, and tablet) • Digital Converter Boxes • Digital Video Disc Players • Digital Video Disc Recorders • Electronic Keyboards • Electronic Mice • Facsimile Machines • Monitors • CD Players • Printers • Satellite Receivers • Scanners • Small Scale Servers • Telephones (mobile and wired) • Televisions • VCR's • Video Game Consoles • Most other nonhazardous electronic items with a power cord or battery.

One day advanced notice is required prior to scheduled pick-up. Electronic items should be kept separate from other items placed out for curbside pick-up. For more information, please contact Republic Services at 847.981.0091.





Glendale Heights Village News

300 Civic Center Plaza • Glendale Heights, IL 60139
630.260.6000 • www.glendaleheights.org

Water rates increased May 1st (to show on July water bills)

Water rates were increased on May 1st of this year. Residents and non-residents with metered water accounts will see the effect of the increase on the June bill that is due early July. The new rate structure will result in a monthly average increase of \$3.50 for residential customers. Detailed rate information is as follows:

Residential Rates

	<u>May 1, 2020</u>	<u>May 1, 2021</u>
Water Purchased:	\$4.97 per 1,000 gallons	\$4.97 per 1,000 gallons
Local Water Delivery:	\$2.93/1,000 gallons	\$3.11 per 1,000 gallons
Sewer:	\$5.18 per 1,000 gallons	\$5.50 per 1,000 gallons
Debt Service:	\$10.00 (flat fee per month)	\$10.00 (flat fee per month)
Capital Infrastructure Fee:	\$3.00 (flat fee per month)	\$3.00 (flat fee per month)
Average Customer bill at 7,000 gallons:	\$104.56	\$108.06

Proportional increases will also apply to Commercial and Industrial customers.

Breaking Down the Rates

Water Purchased – the direct pass-through cost of water purchased from the DuPage Water Commission.

Local Water Delivery – the cost of bringing water to your home or business. Includes personnel, equipment, vendor and commodities, maintenance of water lines, meters, elevated water tanks, monitoring equipment, maintenance of stand-by wells for emergencies.

Sewer – the cost and treatment of waste water discharged from homes and businesses. Included in this charge are personnel and equipment, vendor and commodities, maintenance of sewer lines, and operation of the Water Pollution Control Facility (WPCF) in accordance with guidelines established from the Illinois Environmental Protection Agency.

Debt Service – funds necessary for payment of principal and interest on bond issues taken out in 2009, 2010 and 2019 for large capital projects including Bloomingdale Road Water Main Replacement, upgrades at the Water Pollution Control Facility, and most recently, the Village wide Water Meter/Meter Reading Device replacement project. Debt Service charges will also be used to repay an Illinois Environmental Protection Agency loan taken out for the WPCF Digester rehabilitation project.

Capital Infrastructure Fee – this fee represents the capital expenditures needed to be undertaken in the current, and future years, such as water and sewer main replacements, lift stations and elevated water tank rehabilitation.

Glendale Heights Village News

300 Civic Center Plaza • Glendale Heights, IL 60139
630.260.6000 • www.glendaleheights.org



Water Rate Increase (Continued from p. 12)

Water Bill Payment Options

Online Payment Options:

You may register to pay your water bill online conveniently 24 hours/7 days a week using credit or debit card. There is no transaction fee charged for this service.

Auto payment is also available. With auto-payment, we will withdraw your monthly payment on the due date directly from your bank account, debit or credit card. Please contact Water Billing at 630.260.6010 with any questions or for assistance in registering.

Payment Collection Boxes:

You may drop your bill payment in the Payment Collection Box located at the circular drive in the front of the Village Hall building (300 Civic Center Plaza). The collection box is silver and identified for water bill and parking ticket payments. Finance staff service the box daily.

Another collection box is located inside the building, adjacent to the Finance counter. These payments are collected daily during regular business hours for processing.

US Mail:

You may mail your payments to our lockbox:

Village of Glendale Heights
PO Box 87156
Carol Stream, IL 60188-7156

In Person:

Your water bill may be paid in person at the Finance counter, located on the 1st floor of the Village Hall building (300 Civic Center Plaza) during regular business hours. Signs are posted on stanchions and at the Finance Department counter encouraging residents to observe social distancing and the use of hand sanitizer conveniently located at the counter. We encourage you to pay with a credit card or check to avoid the exchange of cash.

What can customers do if they are experiencing financial difficulty and are unable to pay their bill in full? First and foremost, please don't just ignore your bill. That way you avoid additional costs in late fees and the potential of service disconnection. The Water Billing staff will work with individuals to develop a "catch up" budget to get back into a current status with your water bill. If you have a financial hardship, please contact Water Billing at 630.260.6010.

Parking 101

Helpful parking tips to live by!



1. Do not block mailboxes!

Mailboxes with vehicles parked in front of them may not have their mail delivered by the United States Postal Service



2. Do not block sight or traffic!

It is illegal to park within an intersection, within 30 feet of a stop sign, in front of a public/private driveway or within 15 feet of a fire hydrant!



3. Be a courteous neighbor!

Park in your garage, driveway or in front of your home and have your guests do the same. Be a good neighbor and save the space for your neighbors and their visitors!



18 CLASSES

ANTIQUE:
1900 TO 1949

STOCK 50'S

STOCK 60-66

STOCK 67-69

STOCK 70'S

STOCK 80'S

STOCK 90'S

STOCK 2000-2009

STOCK 2010 & UP

STREET MACHINES
69 & PRIOR

STREET MACHINES
70 - 95

STREET MACHINES
96 & UP

RODS

CUSTOM

SPECIAL INTEREST

TRUCK 2X4

TRUCK 4X4

IMPORTS/TUNERS

**3 TROPHIES
PER CLASS**

NEW
**CAR CLUB
SPECIALTY TROPHY
(5 OR MORE CARS
PRESENT TO QUALIFY)**

Note: Each car must pay an individual entry fee. Each car club member can also enter into other classes but must park together. One trophy awarded for the winning Car Club.

Now featuring a Car Club Specialty Trophy!



The Village of Glendale Heights
Presents the 38th Annual

GLENDALE
Heights

In conjunction with Oktoberfest
September 16-26, 2021



**FOOD
MUSIC
GAMES
CRAFTERS**

SEPTEMBER 19, 2021

10:00 am - 3:30 pm

CAMERA PARK

101 E. FULLERTON AVENUE

For more information, call
630.688.7903, 630.361.4058 or 630.909.5303
www.glendaleheights.org/CarShow

11 Specialty Trophies including the "Best of Show" Trophy

Door Prizes, Raffle Prizes & Thank You Bags
Dash Plaques & T-Shirts to the first 100 Cars Registered

Vehicle Registration (Postmarked Before 9/12) - \$12

Registration After 9/12 - \$15

Swap Meet & Crafters - \$15

Setup Time 8:00 am

Car Owner Voting 11:00 am - 1:00 pm

Trailers are welcome. Please no barbecuing and no glass bottles allowed on the premises.

REGISTRATION FORM

MARK ONE: CAR SHOW ☐ SWAP MEET EXHIBITOR ☐ CRAFTER ☐ OTHER ☐

NAME _____

PHONE _____

EMAIL _____

ADDRESS _____ CITY/STATE/ZIP _____

CHOOSE ONE CLASS, PER ENTRY REGISTERED

CAR SHOW ONLY { CLASS _____

{ MAKE OF CAR _____ MODEL _____ YEAR _____

{ CAR CLUB _____

SEND REGISTRATION FEE TO: "SHOW & SHINE" C/O VILLAGE OF GLENDALE HEIGHTS
300 CIVIC CENTER PLAZA, GLENDALE HEIGHTS, IL 60139

We reserve the right to refuse any car for the show. No refunds will be issued.

Glendale Heights Village News

300 Civic Center Plaza • Glendale Heights, IL 60139
630.260.6000 • www.glendaleheights.org



Village of Glendale Heights Affirmed Aa3 Credit Rating

Most people are familiar with credit scores and how they are influenced by either good or bad habits. The same goes for the Village as related to its credit rating as assigned from Moody's Investors Service. As part of its annual due diligence process, Moody's undertakes a review of the Village's financial status, using information taken from audited financial statements and other socioeconomic information. On May 25, 2021, Moody's issued their report affirming an Aa3 credit rating for the Village.

After more than a year of financial uncertainty, receiving a report that cites a strong local economy and tax base is indeed welcomed news. Maintaining the Village's strong Aa3 credit rating is a testament to the continuing emphasis on economic development, and the prudent oversight of financial matters from the Village President and Board of Trustees.

Moody's defines Aa issuers or issues as demonstrating very strong creditworthiness, and being of high quality and subject to very low credit risk.

The complete Moody's opinion can be found at moodys.com.

Holiday Garbage & Recycling Schedule

In observance of the Independence Day Holiday, residents are advised of a change to their regular schedule for refuse and recycling collections.

Garbage and recycling will be delayed one day from your usual pick-up. For service related questions, please call Republic Services at 847.981.0091.



House/Garage Sale Permits

Homeowners are reminded that Village Ordinance requires a permit in order to hold a House or Garage sale. A fee of \$10 is collected at the time of the application, along with homeowner's signed Permit Consent form. Please call 630.260.6000 with any questions.



Looking Ahead!

September 4 - Coffee and Chat with the Mayor and Board

September 6 - Final Day at GH₂O

September 11 - Patriot Day Candlelight Ceremony

September 16 - 26 - Glendale Heights Oktoberfest

September 19 - Show & Shine Car Show and Community Garage Sale

Help Support the Community Affected by COVID-19 through the ***Glendale Heights Foundation***

The Glendale Heights Foundation is looking for monetary donations to help families throughout the Glendale Heights community! The Glendale Heights Foundation (GHF) is a non-profit organization incorporated in 2003 to provide limited one-time emergency financial assistance to Village residents. Due to the COVID-19 pandemic, many families have been hit hard financially, and the Glendale Heights Foundation is looking for monetary donations to support those families in need.

Many of the typical fundraising events that support the Glendale Heights Foundation were canceled in 2020 due to the COVID-19 pandemic. So now, more than ever, the Glendale Heights Foundation is relying on the community's support to help give back to those in need.

If you are interested in making a tax deductible donation or if you are applying for assistance, please visit:

<http://tiny.cc/GlendaleHtsFound>

or

www.glendaleheights.org.

NEW BUSINESSES

ALL PRO ELECTRIC, INC.

2000 Bloomingdale Road #200
630.894.0474
Electrical Contractor

MITSUBISHI TURBOCHARGER AND ENGINE AMERICA, INC.

2000 Bloomingdale Road #135
630.268.0750
Auto Parts Distribution

AMERIKAOSTAL VENTURES, LLC

115 N. Brandon Drive
630.924.1950
Whole Sale Food Distribution

Interested in having a business in Glendale Heights?
Contact Community Development
at 630.260.6030

Join the Glendale Heights Chamber!
Contact Director@glendaleheightschamber.com

CHARACTER COUNTS! in Glendale Heights

The Glendale Heights CHARACTER COUNTS! Coalition would like to invite our residents and businesses to practice **T** (trustworthiness) **R** (respect) **R** (responsibility) **F** (fairness) **C** (caring) **C** (citizenship) this summer with us in Glendale Heights.

The pillar for July is **TRUSTWORTHINESS** & the pillar for August is **RESPECT**.



Glenbard Parent Series (virtual)

Visit www.glenbardgps.org for the full schedule for 2021-2022.

The Glenbard Parent Series presents relevant, high-profile authors, clinicians and educators who share research-based knowledge and personal experience to support social and emotional learning and enhance the development of students of all ages.

Thursday, August 19, 7:00 pm

Rethinking Parental Pressure: A Positive Approach to Encouraging Your Child to be Their Best Self by Dr. Hank Weisinger and Dr. Chris Thurbe

Wednesday, August 25, 7:00 pm

Financial Aid Workshop: Discovering the Best College Fit at the Best Price by Frank Palmasani

Tuesday, August 31, noon and 7:00 pm

Social Skill and Anxiety Solutions for the Early Child: Start Strong by Janine Halloran



Village Meetings

Regularly scheduled meetings are held at the Civic Center, unless otherwise noted. Call the Village Hall at 630.260.6000 for more information.

Board of Police Commissioners

2nd Wednesday of each month, 7:00 pm

CHARACTER COUNTS! Coalition

3rd Wednesday of each month, 7:30 am
GlenOaks Therapeutic Day School

Charity Golf Classic Committee

Scheduled periodically throughout the year
Glendale Lakes Golf Club

Emergency Services & Disaster Agency E.S.D.A.

1st Wednesday of each month, 7:00 pm

Founders' Day Committee

Scheduled periodically throughout the year

Golf Club Committee

7:00 pm

Nov. 8

Glendale Lakes Golf Club

Historical Committee

Scheduled periodically throughout the year
Glendale Heights Historic House

Neighborhood Watch

Meetings vary from month to month.
Please visit the website for the next
Neighborhood Watch meeting.

Parks & Recreation Committee

3rd Tuesday of every other month, 7:00 pm
Sports Hub

Plan Commission

2nd & 4th Tuesday of each month, 7:00 pm

Property Enhancement

4th Wednesday of each month, 6:30 pm

Senior Citizens Advisory Council

4th Wednesday of each month,
Center for Senior Citizens, 8:30 am

Village Board and Committee of the Whole Meetings (C.O.W.)

1st & 3rd Thursday of each month, 7:30 pm

Youth Commission

2nd Wednesday of each month, 7:30 am
Glendale Lakes Golf Club

Note: Due to COVID-19, many committee and commission meetings may be cancelled. Please visit www.glendaleheights.org for updated meeting announcements.

Annual Drinking Water Quality Report

Village of Glendale Heights

For the period of January 1, 2020 to December 31, 2020



Este Informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.

ANNUAL DRINKING WATER QUALITY REPORT VILLAGE OF GLENDALE HEIGHTS For the period of January 1, 2020 to December 31, 2020

This report is intended to provide you with important information about your drinking water and the efforts made by the Village of Glendale Heights Water Division to provide safe drinking water. The source of drinking water distributed by the Village is purchased from the DuPage Water Commission.

For more information regarding this report, contact:

Name: Roman Corsini, Utilities Division Manager- Facility # IL 0430400

Phone: (630) 260 6040

We are pleased to report that The Village of Glendale Heights' drinking water had no violations or exceeded any other water quality standard. No drinking water quality violations were recorded during 2020.

We want our valued customers to be informed about their water quality. If you would like to learn more, please feel welcome to attend any of our regularly scheduled Village Board meetings every first and third Thursday of the month. The meetings are held at Village Hall, 300 Civic Center Plaza, and begin at 7:30 p.m. You may also wish to attend the DuPage Water Commission meetings. For information on when their meetings are scheduled, please call (630) 834 0100. The source water assessment for our supply has been completed by the Illinois EPA. If you would like a copy of this information, please stop by Public Works at 1615 Glen Ellyn Rd. or call our Utilities Division Manager at (630) 260 6040. To view a summary version of the completed Source Water Assessments including Importance of Source Water; Susceptible to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA website at <http://www.epa.state.il.us/cgi-bin/wp/swap-fact-sheets.pl>

Source of Drinking Water

Lake Michigan water is supplied to the DuPage Water Commission from the City of Chicago. The City does all water filtration and treatment. The DuPage Water Commission adds chlorine and delivers the water through a series of water mains and storage tanks. The Village of Glendale Heights then delivers the water through several pump stations, storage tanks and water mains. The Village does not add chemicals to the water, but has the capabilities to do so.

The Illinois EPA considers all surface water sources of community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with no protection only dilution. This is the reason for the mandatory treatment for all surface water supplies in Illinois. Chicago's off shore intakes are located at a distance that shoreline impacts are not usually considered a factor on water quality. At certain times of the year, however, the potential for contamination exists due to wet weather flows and river reversals. In addition, the placement of the crib structures may serve to attract waterfowl, gulls, and terns that frequent the Great Lakes area, thereby concentrating fecal deposits at the intake and thus compromising the source water quality. Conversely, the shore intakes are highly susceptible to storm water run-off, marinas and shoreline point sources due to the influx of ground water to the lake.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline 1 (800) 426 4791.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1 (800) 426 4791.

**CITY OF CHICAGO, DEPARTMENT OF WATER MANAGEMENT
SOURCE WATER ASSESSMENT SUMMARY
FOR THE 2020 CONSUMER CONFIDENCE REPORT (CCR)**

Source Water Location

The City of Chicago utilizes Lake Michigan as its source water via two water treatment plants. The Jardine Water Purification Plant serves the northern areas of the City and suburbs, while the Sawyer Water Purification Plant serves the southern areas of the City and suburbs. Lake Michigan is the only Great Lake that is entirely contained within the United States. It borders Illinois, Indiana, Michigan, and Wisconsin, and is the second largest Great Lake by volume with 1,180 cubic miles of water and third largest by area.

Source Water Assessment Summary

The Illinois EPA implemented a Source Water Assessment Program (SWAP) to assist with watershed protection of public drinking water supplies. The SWAP inventories potential sources of contamination and determined the susceptibility of the source water to contamination. The Illinois EPA has completed the Source Water Assessment Program for our supply.

Susceptibility to Contamination

The Illinois EPA considers all surface water sources of community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with no protection only dilution. This is the reason for mandatory treatment of all surface water supplies in Illinois. Chicago's offshore intakes are located at a distance that shoreline impacts are not usually considered a factor on water quality. At certain times of the year, however, the potential for contamination exists due to wet-weather flows and river reversals. In addition, the placement of the crib structures may serve to attract waterfowl, gulls and terns that frequent the Great Lakes area, thereby concentrating fecal deposits at the intake and thus compromising the source water quality. Conversely, the shore intakes are highly susceptible to storm water runoff, marinas and shoreline point sources due to the influx of groundwater to the lake.

Further information on the our community water supply's Source Water Assessment Program is available by calling the City of Chicago, Department of Water Management at 312-742-2406 or by going online at <http://dataservices.epa.illinois.gov/swap/factsheet.aspx>.

The Forth Unregulated Contaminant Monitoring Rule (UCMR 4)

In compliance with UCMR 4, samples were collected at Chicago Water System's entry points to the distribution system (EPTDS), also known as finished water, and analyzed for all contaminant groups except for Haloacetic Acids (HAAs), which were sampled from the distribution system. All of the contaminant groups tested in the finished water were below the minimum reporting levels specified in the test method under UCMR 4. Samples for HAA indicators (Total Organic Carbon and Bromide) were collected at two source water influent points for the system. For Bromide, test results ranged from 28.2 to 35.3 ppb, and for TOC, test results ranged from 1.79 to 1.80 ppm.

Illinois EPA's Sampling of Per- and Polyfluoroalkyl Substances (PFAS)

The Illinois EPA Collected fresh water samples from Chicago's Water System on 10/29/2020 and analyzed the samples for a total of 18 PFAS contaminants. In its notification to Chicago, the Illinois EPA stated that these contaminants were not present in Chicago's drinking water at concentrations greater than or equal to the minimum reporting levels.

2020 Voluntary Monitoring

The City of Chicago monitors for Cryptosporidium, Giardia and E. Coli in its source water as part of its water quality program. Cryptosporidium has not been detected in these samples, but Giardia was detected in September 2010 in one raw lake water sample collected. Treatment processes have been optimized to provide effective removal of such organisms getting into the drinking water system is greatly reduced. In 2020, the City of Chicago has also continued monitoring for hexavalent chromium, also known as chromium-6. USEPA has not yet established a standard for chromium-6, a contaminant of concern which has both natural and industrial sources. Chromium-6 sampling data are posted at: https://www.chicago.gov/city/en/depts/water/supp_info/water_quality_resultsandreports.html

**2020 WATER QUALITY DATA
DATA TABULATED BY CHICAGO DEPARTMENT OF WATER MANAGEMNT
0316000 CHICAGO**

-Definition of Terms-

Maximum Contaminant Level Goal (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.

Maximum Contaminant Level (MCL):

The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Highest Level Detected:

This column represents the highest single sample reading of a contaminant of all samples collected in 2020.

Range of Detections:

This column represents a range of individual sample results, from lowest to highest that were collected during the CCR calendar year.

Date of Sample:

If a date appears in this column, the Illinois EPA requires monitoring for this contaminant less than once per year because the concentrations do not frequently change. If no date appears in the column, monitoring for this contaminant was conducted during the Consumer Confidence Report calendar year.

Treatment Technique (TT):

A required process intended to reduce the level of a contaminant in drinking water.

N/A:

Not applicable

Detected Contaminants

Contaminant (unit of measurement) Typical Source of Contaminant	MCLG	MCL	Highest Level Detected	Range of Detections	Violation	Date of Sample
<u>TURBIDITY DATA</u>						
Turbidity (NTU/Lowest Monthly % ≤ 0.3 NTU) Soil runoff	N/A	TT (Limit: 95% ≤ 0.3 NTU)	(Lowest Monthly %) 100.0%	100.0% - 100.0%		
Turbidity (NTU/Highest Single Measurement) Soil runoff	N/A	TT (Limit 1 NTU)	0.16	N/A		
<u>INORGANIC CONTAMINANTS</u>						
Barium (ppm) Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits	2	2	0.0201	0.0198 - 0.0201		
Nitrate (As Nitrogen) (ppm) Runoff from fertilizer use; Leaching from septic tanks, Sewage, Erosion of natural deposits	10	10	0.42	0.35 - 0.42		
Total Nitrate & Nitrite (As Nitrogen) (ppm) Runoff from fertilizer use; Leaching from septic tanks, sewage, Erosion of natural deposits	10	10	0.42	0.35 - 0.42		

TOTAL ORGANIC CARBON

TOC [Total Organic Carbon]

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set by the IEPA

Contaminant (unit of measurement) Typical Source of Contaminant	MCLG	MCL	Highest Level Detected	Range of Detections	Violation	Date of Sample
<u>UNREGULATED CONTAMINANTS</u>						
Sulfate (ppm) Erosion of naturally occurring deposits	N/A	N/A	27.8	27.5 – 27.8		
Sodium (ppm) Erosion of naturally occurring deposits; Used as water softener	N/A	N/A	9.55	8.73 – 9.55		
<u>STATE REGULATED CONTAMINANTS</u>						
Fluoride (ppm) Water additive which promotes strong teeth	4	4	0.75	0.65 - 0.75		
<u>RADIOACTIVE CONTAMINANTS</u>						
Combined Radium (226/228) (pCi/L) Decay of natural and man-made deposits.	0	5	0.95	0.83 - 0.95		02-04-2020
Gross Alpha excluding radon and uranium (pCi/L) Decay of natural and man-made deposits.	0	15	3.1	2.8 – 3.1		02-04-2020

2020 Water Quality Data Table Footnotes

Turbidity

Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants.

Unregulated Contaminants

A maximum contaminant level (MCL) for this contaminant has not been established by either state or federal regulations, nor has mandatory health effects language. The purpose for monitoring this contaminant is to assist USEPA in determining the occurrence of unregulated contaminants in drinking water, and whether future regulation is warranted.

Sodium

There is no state or federal MCL for sodium. Monitoring is required to provide information to consumers and health officials who have concerns about sodium intake due to dietary precautions. If you are on a sodium-restricted diet, you should consult a physician about the level of sodium in the water.

Fluoride

Fluoride is added to the water supply to help promote strong teeth. The Illinois Department of Public Health recommends an optimal fluoride level of 0.7 mg/l with a range of 0.6 mg/l to 0.8 mg/l.

ppm	Parts per million, or milligrams per liter	%≤0.3NTU	Percent of samples less than or equal to 0.3 NTU
ppb	Parts per billion, or micrograms per liter		
NTU	Nephelometric Turbidity Unit, used to measure cloudiness in drinking water	pCi/L	Picocuries per liter, used to measure radioactivity

**Village of Glendale Heights
2020 Water Quality Data**

NO DRINKING WATER QUALITY VIOLATIONS WERE RECORDED DURING 2020

Regulated Contaminants Detected

Contaminant	Maximum Contaminant Level Goal	Total Coliform Maximum Contaminant Level	Highest No. of Positive	Fecal Coliform or E. Coli Maximum Contaminant Level	Total No. of Positive E. Coli or Fecal Coliform Samples	Violation	Likely Source of Contamination
Coliform Bacteria	0	5% of monthly samples are positive	2.3	-	0	N	Naturally present in the environment

Lead and Copper

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at [http:// www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

Definitions:

Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2020	1.3	1.3	0.135	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
Lead	2020	0	15	0	0	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.

Water Quality Test Results

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Avg: Regulatory compliance with some MCL's are based on running annual average of monthly samples.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. Coli MCL violation has occurred and /or why total coliform have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water, which there is no known or expected risk to health. MCLG's allow for a margin of safety.

Maximum Residual Disinfectant Level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal or MRDLG: The level of a contaminant in drinking water, which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

na: Not Applicable

mrem: millirems per year (a measure of radiation absorbed by the body)

ppb: micrograms per liter or parts per billion – or one ounce in 7,350,000 gallons of water.

ppm: milligrams per liter or parts per million – or one ounce in 7,350 gallons of water

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

Regulated Contaminants

Disinfectants & Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorine	12/31/2020	0.9	0.6 - 1	MRDLG = 4	MRDL=4	ppm	N	Water additive used to control microbes.
Haloacetic Acids (HAA5)	2020	25	16.3 – 31.9	No goal for the total	60	ppb	N	By-product of drinking water disinfection.
Total Trihalomethanes (TTHM)	2020	45	15.74 – 70.2	No goal for the total	80	ppb	N	By-product of drinking water disinfection.

GLENDALE HEIGHTS STAND-BY WELLS

The Village of Glendale Heights' Stand-by Wells have been maintained in accordance with IEPA testing requirements and standards and are for emergency purposes only. The four Well sites are operated and tested without supplementing the Lake Michigan Water that we purchase and distribute from the DuPage Water Commission.

Inorganic Compounds are tests performed for stand-by wells, **which are not connected** to the distribution system and are for emergency purposes only.

*Arsenic –While your drinking water meets EPA standards for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

INORGANIC CONTAMINANTS

Element	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Arsenic*	2020	4.37	0 - 4.37	0	10	ppb	N	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronic production wastes.
Barium	2020	0.0326	0 - 0.0326	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Chromium	2020	5.93	0 – 5.93	100	100	ppb	N	Discharge from steel and pulp mills; Erosion of natural deposits.
Fluoride	2020	2.45	0.43 – 2.45	4	4.0	ppm	N	Erosion of natural deposits; Water additive promotes strong teeth; Discharge from fertilizer and aluminum factories.
Iron	2020	0.902	0.693 – 0.902		1.0	ppm	N	This contaminant is not currently regulated by the USEPA. However, the state regulates. Erosion of natural deposits.
Nitrate (measured as nitrogen)	2018	0.104	0.104 – 0.104	10	10	ppm	N	Runoff from fertilizer use, Leaching from septic tanks, sewage; Erosion of natural deposits.
Sodium	2020	236	31.6 - 236			ppm	N	Erosion from naturally occurring deposits: used in water softener regeneration.
Sulfate	2017	154	15.6 - 154	250	250	ppm	N	Sulfate is a substance that occurs naturally in drinking water.

Radioactive Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Combined Radium 226/228	2020	1.13	0.421 – 1.13	0	5	pCi/L	N	Erosion of natural deposits.
Gross Alpha excluding radon and uranium	2020	2.69	0.186 – 2.69	0	15	pCi/L	N	Erosion of natural deposits.

Glendale Heights UCMR4 Testing

In 1996 amendments to the Safe Drinking Water Act (SDWA) require that once every five years, the U.S. Environmental Protection Agency (EPA) issue a new list of no more than 30 unregulated contaminants to be monitored by public water systems (PWSs). The Unregulated Contaminant Monitoring Rule (UCMR) provides EPA and other interested parties with scientifically valid data on the occurrence of contaminants in drinking water. These data serve as a primary source of occurrence and exposure information that the agency uses to develop regulatory decisions.

The Village of Glendale Heights is classified under the UCMR4 as an Assessment Monitoring (List 1) community, and is monitoring for 30 chemicals in 2020 as a part of the UCMR monitoring requirements established in 1996 by the U.S. EPA. These results are seen in the table below:

UCMR4 COMPLIANCE REPORTING

Element	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Likely Source of Contamination
Monobromoacetic Acid	04/07/2020	0.69	0.45 – 0.69	N/A	N/A	ug/L	Disinfection By-product
Dichloroacetic Acid	01/15/2020	8.7	3.7 – 8.7	N/A	N/A	ug/L	Disinfection By-product
Trichloroacetic Acid	01/15/2020	10	5.2 - 10	N/A	N/A	ug/L	Disinfection By-product
Bromochloroacetic Acid	01/15/2020	3.5	2.1 – 3.5	N/A	N/A	ug/L	Disinfection By-product
Dibromoacetic Acid	01/15/2020	1.1	0.60 – 1.1	N/A	N/A	ug/L	Disinfection By-product
Bromodichloroacetic Acid	01/15/2020	4.5	2.2 – 4.5	N/A	N/A	ug/L	Disinfection By-product
Chlorodibromoacetic Acid	01/15/2020	1.5	0.62 – 1.5	N/A	N/A	ug/L	Disinfection By-product
Total Haloacetic Acids	01/15/2020	21	10 - 21	N/A	N/A	ug/L	Disinfection By-product
Total Haloacetic Acids UCMR4	01/15/2020	30	14 - 30	N/A	N/A	ug/L	Disinfection By-product
Total Haloacetic Acids-Br	01/15/2020	11	4.9 - 11	N/A	N/A	ug/L	Disinfection By-product

UCMR4 COMPLIANCE REPORTING CONTINUED

Element	Collection Date	Highest Level Detected	Range of Levels Detected	RDL	MCL	Units	Likely Source of Contamination
Manganese	01/15/2020	2.5	0.42 – 2.5	0.4	N/A	ug/L	Erosion of naturally occurring deposits. Not currently regulated by USEPA
1-Butanol	04/07/2020	2.5	0 – 2.5	2	N/A	ug/L	Erosion of naturally occurring deposits and manufacturing processes. Not currently regulated by the USEPA.

A maximum contaminant level (MCL) for this contaminant has not been established by either state or federal regulations, nor has mandatory health effects language been set. The purpose of unregulated contaminant monitoring is to assist USEPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

AS REPORTED BY THE DUPAGE WATER COMMISSION - (630) 834-0100
2020 Regulated Contaminants Detected

Coliform Bacteria

Maximum Contaminant Level Goal	Total Coli form Maximum Contaminant Level	Highest No. of Positive	Fecal Coli form or E. Coli Maximum Contaminant Level	Total No. of Positive E.Coli or Fecal Coli form Samples	Violation	Likely Source of Contamination
0	0 positive monthly sample	0	Fecal Coliform or E. Coli MCL: A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform or E. Coli positive	0	No	Naturally present in the environment

Regulated Contaminants

Disinfectants & Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely source Of Contamination
Chlorine	8/25/2020	1.66	0.69 - 1.66	4	4	ppm	No	Water additive used to control microbes
Total Haloacetic Acids (HAA5)	2020	19.2	14.7 – 19.2	N/A	60	ppb	No	By-product of drinking water chlorination
Total Trihalomethanes (TTHMs)	2020	27.4	26.2 -27.4	N/A	80	ppb	No	By-product of drinking water chlorination

Not all sample results may have been used for calculating the highest level detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

Information on Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. DuPage Water Commission is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at:

<http://www.epa.gov/safewater/lead>.

Educational statements and conservation strategies for surface water may be obtained at

<http://www.preservingeverydrop.org/>

Note: The state requires monitoring of certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Therefore, some of this data may be more than one-year-old. MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCL's are set close to the MCLGs as feasible using the best available treatment technology. MCLG (Maximum Contaminant Level Goal): The level of contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. AL (Action Level): The concentration of a contaminant which, if exceeded triggers treatment or other requirements which a water system must follow. ppm: parts per million, ppb: parts per billion, ppt: parts per trillion, pCi/l: picoCuries per liter (measurement of radioactivity)

2020 Regulated Contaminants Detected

Water Quality Test Results:

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Maximum Contaminant Level (MCL):

The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the Maximum Contaminant Level Goal as feasible, using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.

mg/l: milligrams per litre or parts per million- or one ounce in 7,350 gallons of water.

ug/l: micrograms per liter or parts per billion – or one ounce in 7,350,000 gallons of water.

Maximum Residual Disinfectant Level (MRDL):

The highest level of disinfectant allowed in drinking water.

Maximum Residual Disinfectant Level Goal (MRDLG):

The level of disinfectant in drinking water below which there is no known or expected risk to health. MRDLG's allow for a margin of safety.

na: not applicable. Avg: Regulatory compliance with some MCL's are based on running annual average of monthly samples.

Village of Glendale Heights

300 Civic Center Plaza
Glendale Heights, IL 60139
www.glendaleheights.org

ECRWSS RESIDENTIAL AND BUSINESS POSTAL CUSTOMER

PRST STD
U.S. POSTAGE
PAID
Carol Stream, IL
PERMIT NO. 103

Civic Center Hours

Monday, Tuesday, Wednesday 8:00 am – 4:30 pm
Thursday 8:00 am – 7:00 pm
Friday 8:00 am – 4:30 pm
Saturday, Sunday Closed

Village Contact Information

MAYOR & BOARD

Chodri Ma Khokhar, Village President chodri_khokhar@glendaleheights.org.....630.909.5302
Marie Schmidt, Village Clerk marie_schmidt@glendaleheights.org.....630.909.5333
Bill Schmidt, Trustee District 1 bschmidt@glendaleheights.org.....630.909.5307
Mohammad Siddiqi, Trustee District 2 mohammad_siddiqi@glendaleheights.org.....630.909.5306
Michael Light, Trustee District 3 mlight@glendaleheights.org.....630.909.5308
Pat Maritato, Trustee District 4 pmaritato@glendaleheights.org.....630.909.5309
Chester Pojack, Trustee District 5 cpojack@glendaleheights.org.....630.909.5310
Mary Schroeder, Trustee District 6 mschroeder@glendaleheights.org.....630.909.5311

VILLAGE OFFICES

Main Number.....630.260.6000
Center for Senior Citizens seniors@glendaleheights.org.....630.260.6050
Community Development comdev@glendaleheights.org.....630.260.6030
Glendale Lakes Golf & Pro Shop glendalelakes@glendaleheights.org.....630.260.0018
Glendale Lakes Golf Club, Restaurant & Banquets.....630.260.0095
Parks, Recreation & Facilities parks_recreation@glendaleheights.org.....630.260.6060
Police, Non-emergency police@glendaleheights.org.....630.260.6070
Public Relations public_relations@glendaleheights.org.....630.909.5350
Public Works public_works@glendaleheights.org.....630.260.6040
Water Billing waterbilling@glendaleheights.org.....630.260.6010

IMPORTANT COMMUNITY PHONE NUMBERS

Police/Fire/Ambulance Emergency.....911
AMITA Health Adventist Medical Center GlenOaks.....630.545.8000
AT&T U-Verse.....800.288.2020
Bloomington Fire Protection District 1 (Non-emergency).....630.894.9080
Bloomington Township (Administrative offices).....630.529.7715
Clarke Environmental (Mosquito Control Hotline).....800.942.2555
Comcast (Cable/Internet).....866.594.1234
Commonwealth Edison (Electric utility).....800.334.7661
DuPage County (Administrative offices).....630.407.6500
Glendale Heights Chamber of Commerce.....630.909.5361
Glenside Fire Protection District (Non-emergency).....630.668.5323
Glenside Public Library District.....630.260.1550
J.U.L.I.E. (Call Before You Dig!).....800.892.0123
Milton Township (Administrative offices).....630.668.1616
NICOR (Gas utility).....888.642.6748
Republic Services (Refuse/Recycling Services).....847.981.0091
United States Post Office.....800.275.8777
WideOpenWest (Cable/Internet).....866.496.9669

Connect With Us

Keep up-to-date with Village events, program pictures, and important announcements by following us on Twitter, liking us on Facebook, following us on Instagram and adding us on Snapchat! Search for...

@VOGHNews



Or subscribe to our YouTube channel at GlendaleHtsTV!



Moving in or out?

Contact the Village of Glendale Heights to learn about the necessary steps to make it a smooth process!

Call us at 630.260.6000 for more information!

Let us know!

The purpose of this column is to provide a way in which you can communicate with the Village President, Board of Trustees and Village Departments. Your advice, suggestions and questions are appreciated and will receive a response. A response cannot be provided unless you include your name and address.

Mail to: Newsletter Feedback

Village of Glendale Heights
Attn: Public Relations
300 Civic Center Plaza
Glendale Heights, IL 60139

Email to: public_relations@glendaleheights.org

Suggestions, questions and comments _____

Name: _____

Address: _____

Phone: _____

Email Address: _____



Please check if you prefer to keep your name confidential.